

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

TORII

Atty. Ref.: 2635-176

Serial No. (To be Assigned)  
(Division of USSN 10/026,619  
Filed: September 8, 2003

Group:

Examiner:

For: FAIL-SAFE AIR INDUCTION CONTROL APPARATUS

\* \* \* \* \*

September 8, 2003

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

**INFORMATION DISCLOSURE STATEMENT**


As suggested by 37 C.F.R. 1.97, the undersigned attorney brings to the attention of the Patent and Trademark Office the references listed on the attached form PTO-1449, a copy of each of which is enclosed. This is not to be construed as a representation that a search has been made or that no better prior art exists, or that a reference is relevant merely because cited.

The Examiner is requested to initial the attached form PTO-1449 and to return a copy of the initialed document to the undersigned as an indication that the attached references have been considered and made of record.

Respectfully submitted,

**NIXON & VANDERHYE P.C.**

By:



Larry S. Nixon  
Reg. No. 25,640

LSN:vc

1100 North Glebe Road, 8th Floor  
Arlington, VA 22201-4714  
Telephone: (703) 816-4000  
Facsimile: (703) 816-4100

<b>INFORMATION DISCLOSURE CITATION</b>	ATTY. DOCKET NO.  <u>2635-176</u>	SERIAL NO.  <u>(To be Assigned)</u> <u>(Division of USSN 10/026,619)</u>
<b>APPLICANT</b>		
<u>TORII</u>		
(Use several sheets if necessary)	FILING DATE  <u>September 8, 2003</u>	GROUP

## U.S. PATENT DOCUMENTS

## FOREIGN PATENT DOCUMENTS

**OTHER DOCUMENTS (including Author, Title, Date, Pertinent pages, etc.)**

\*Examiner

### Date Considered

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.